

UNLOCKING ECONOMIC GROWTH AND SUSTAINABLE AGRICULTURE THROUGH OLIVE VALUE ADDITION: CHEMICAL SIGNIFICANCE AND VALUE-ADDED DEVELOPMENT

Iqra Zafar Khan^{*1}, Aqsa Arif^{*2}, Ramsha Rashid^{*3}, Alisha Noor⁴, Muhammad Atif Manzoor⁵, Ahmad Zia Khan⁶, Asra Zafar Khan⁷, Atiya Yazdan⁸, Aqeela Saghir⁹

^{*1}*Pakistan Oilseed Department, National Agriculture Research Centre, Islamabad, Pakistan.*

^{*2}*Pakistan Oilseed Department, National Agriculture Research Centre, Islamabad, Pakistan.*

^{*3}*Institute of Agri. Extension, Education and Rural Development University of Agriculture Faisalabad, Pakistan*

⁴*College of Horticulture, Northwest Agriculture and Forestry University, China*

⁵*Institute of Horticultural Sciences, University of Agriculture Faisalabad, Pakistan*

⁶*School of Agronomy, University of Lisbon, Portugal.*

⁷*National Institute of Food Science and Technology, University of Agriculture, Faisalabad, Pakistan.*

⁸*National Institute of Genomic and Biotechnology, National Agriculture Research Centre, Islamabad, Pakistan*

⁹*Institute of Agri. Extension, Education and Rural Development University of Agriculture Faisalabad, Pakistan*

¹zafarkhaniqra07@gmail.com, ²aqsaali376@gmail.com, ³ramsharashid3211@gmail.com,
⁴alishanoor754@gmail.com, ⁵matif8302@gmail.com, ⁶ahmadkhan07701@gmail.com,
⁷asrazk564@gmail.com, ⁸attiyayazdan78@gmail.com, ⁹aqeelasaghir@uaf.edu.pk

ABSTRACT

This study explores the potential for unlocking economic growth and promoting sustainable agriculture through value addition in the olive industry, with a specific emphasis on the chemical significance of ingredients used in creating olive-based products. The olive sector, historically significant in many economies, faces increasing global demand for products like olive oil. This research delves into the economic impact of the olive value chain and investigates the chemical composition of key ingredients derived from olives, such as oleic acid, phenolic compounds, and antioxidants. It also examines the development of value-added applications, including olive oil-based skincare formulations, dietary supplements, and innovative culinary creations. Understanding the chemical properties of these ingredients is crucial for driving product innovation, enhancing quality, and maintaining market competitiveness. Additionally, the study addresses the implementation of sustainable agricultural practices within the olive industry. Practices such as organic farming, integrated pest management, and water conservation strategies are vital for ensuring long-term environmental and economic sustainability. By integrating these practices, the olive industry can reduce its ecological footprint while maintaining high productivity and product quality. The research further highlights the role of technological advancements and modern farming techniques in improving olive yield and quality, contributing to the sector's resilience against climate change and other environmental challenges. Moreover, the study provides a

comprehensive analysis of the market trends and consumer preferences driving the demand for value-added olive products. It discusses the importance of marketing strategies and consumer education in promoting the benefits of olive-based products, which can enhance market penetration and competitiveness. The findings of this research aim to offer valuable insights for stakeholders in the olive industry, including farmers, producers, and policymakers, on how to leverage the chemical significance of olive-derived ingredients for economic growth and sustainability. In conclusion, this study underscores the importance of combining scientific knowledge with innovative practices to enhance the olive value chain. By understanding and utilizing the chemical properties of olive ingredients, and by adopting sustainable agricultural practices, the olive industry can achieve significant economic growth while contributing to environmental sustainability. This research provides a roadmap for future advancements in the olive sector, emphasizing the need for continuous innovation and sustainable practices to meet the growing global demand for olive products.

Keywords: Chemical Significance, Value Added Development, Economic Growth, Sustainable Agriculture

INTRODUCTION

The olive tree (*Olea europaea* L.) is a long-lived evergreen species, renowned for its flavorful fruits, that has been cultivated for generations. This plant thrives in regions with latitudes between 30° and 45° in both hemispheres, making it suitable for a wide range of climates. In recent years, global olive production has expanded significantly due to advancements in farming practices and the development of new cultivars. Consequently, new territories have been dedicated to olive cultivation, and several new producer countries have entered the market [10]. Despite these global trends, the olive sector in Pakistan remains underdeveloped, with proper olive cultivation and production only beginning in the last decade [15]. Historically, olive plants were introduced to Pakistan in the 1950s, with grafted plants being cultivated in various regions, including Zhob, Swat, Azad Jammu and Kashmir (AJK), Rawalpindi, and others [1]. However, the value chain for olives in Pakistan still faces significant gaps and challenges. To address these issues, the Ministry of National Food Security & Research in Islamabad launched a project titled "Promotion of Olive Cultivation on a Commercial Scale in Pakistan." This initiative aims to convert 75,000 acres of cultivable wasteland across all provinces and autonomous regions, including AJ&K and Gilgit Baltistan, into productive olive groves. A key focus of the project is the grafting of 5 million wild olive trees, transforming them into valuable economic assets for farmers and the country [20]. Additionally, the

project is installing water-saving equipment, such as drip irrigation systems, in areas with low water availability, further supporting sustainable olive production. Despite these efforts, the olive sector in Pakistan still requires comprehensive baseline information, identification of issues, and an understanding of future trends. The establishment of the Pakistan Olive Oil Council (POOC) is a critical step in building national and international links, developing standards and guidelines for labeling, branding, and marketing certification of olive products, and strengthening the rural economy through small-scale cottage industries [4]. Furthermore, the project emphasizes the involvement of women and youth in olive value addition, building a robust value chain, and promoting olive Agro tourism. Certified training from nursery management to post-harvest processes, including HACCP, GPM, and global GAP standards, is also being provided [18]. This project is expected to yield significant outcomes, such as valuing the agronomic, cultural, and social heritage of the olive oil value chain, supporting rural development with appropriate policies, and enhancing the Pakistani olive value chain at various levels. Women and young people are expected to generate revenue along the value chain, and the promotion of olive culture within Pakistani society is anticipated [27]. The olive value chain is a complex network that spans from planting and harvesting to processing, distribution, and marketing. This network not only provides

livelihoods for millions but also drives economic growth at local, regional, and global levels. The economic influence of the olive industry extends beyond monetary value, encompassing social, cultural, and environmental components essential for sustainable development [3]. At the core of the olive industry lies a wealth of chemical compounds that confer nutritional, medicinal, and sensory benefits. Oleic acid, a monounsaturated fatty acid in olive oil, has garnered attention for its potential health benefits, including cardiovascular protection and anti-inflammatory effects [26]. Phenolic compounds, such as hydroxytyrosol and oleuropein, contribute to olives' antioxidant properties, making them valuable allies in combating oxidative stress and promoting overall health [19].

Understanding the chemical composition of olive-based components is crucial to unlocking their full potential in value-added applications, ranging from food and cosmetics to pharmaceuticals and biotechnology. The concept of value addition extends beyond processing; it represents a paradigm shift towards innovation, differentiation, and sustainability [7]. Value-added development in the olive sector can manifest in various forms, such as producing premium olive oils with unique flavor profiles or creating cosmetic formulations enriched with olive extracts [9]. Dietary supplements featuring olive-based ingredients capitalize on their nutritional value, offering consumers a natural and holistic approach to health and wellness. Additionally, innovative culinary creations that showcase the versatility of olives and olive products cater to evolving consumer preferences, driving market growth and diversification.

2. Materials and Methods

All recipes were created in the value addition lab of the Pak Olive Department, National Agriculture Research Centre, Islamabad, Pakistan. This section describes the procedures used to create and prepare the olive pickles, assuring standardization and consistency across all batches. The components used were fresh olives from local farms, white vinegar, water, salt, garlic, peppercorns, dried oregano, and fresh dill. Sterilized jars, saucepans, and measuring equipment were utilized to ensure sanitation and precision during the preparation

process. To achieve consistency and precision in olive pickle production, detailed techniques and benefits are provided below.

2.1. Methods for Curing Olives

Olives harvested off the tree contain a very bitter chemical known as oleuropein. Harvested olives must be "cured" to eliminate bitterness and make them pleasant. The most prevalent curing methods include brine, dry salt, water, and lye treatments [5]. During these curing processes, the water-soluble oleuropein component leaches from the olive flesh.

The curing procedure employed affects the flavor and texture of each type of olive [14]. Lye-curing is the most quick and efficient method of de-bittering; however, many people believe that lye-cured olives are less flavorful than other types of olives.

Brined olives go through a natural fermentation process like classic dill pickles and sauerkraut. Acids created during fermentation by naturally occurring lactic acid bacteria on the fruit give these olives their flavor and scent. Olives that have been brined are often saltier than those that have been cured with lye. Water curing does not significantly alter the flavor of the olives compared to other curing procedures. This publication contains instructions for preparing water-cured, brine-cured, dry salt-cured, and lye-cured olives [11].

The storage life of olives you make at home varies according to the olive style and is specified in the instructions. Some olives can be preserved using extra procedures, such as freezing, drying, or pressure canning, to extend their storage life.

WATER-CURED OLIVES

To prepare olives for water curing, first cut or break each olive to allow the bitter oleuropein to seep out more easily. The prepared olives are steeped in water, which changes every day for a week or more, depending on the olive type and desired amount of bitterness. After curing, the olives are immersed in a finish brine [16] a vinegar-salt solution that imparts a distinctive taste.

The advantage of this procedure is that the olives are ready to eat in just a few weeks [21]. These olives will remain slightly bitter since water curing extracts less oleuropein than other procedures.

LYE-CURED OLIVES

Olives can be quickly cured by immersing them in a lye (sodium hydroxide) solution. The lye dissolves the chemical connection between oleuropein (a bitter component) and the sugars in olives. After curing, you rinse the olives with cold water to remove any residues of lye before packing them in brine.

The rinsing process also removes the bitterness, leaving a neutral, slightly "buttery" olive that can be flavored with vinegar and herbs in the brine. This method has no fermentation step. Lye-cured olives have a firm texture and a smooth, mild flavor. Instructions for two types of lye-cured olives are provided here: green olives and dark ripe olives. Both kinds are produced with green-ripe fruits [17]. The rich brown, black color of dark mature style olives occurs when the fruit is intentionally exposed to air during the lye-curing process. Natural phenolic chemicals in olives react with oxygen to produce the black color.

Before you begin preparing these lye-cured olives, familiarize yourself with the color of fresh olive flesh so that you can subsequently distinguish the color shift caused by lye penetration. Take a few representative olives and cut a quarter portion from the skin to the pit of each one. A green olive's flesh will most likely be white; if the olive is reddish brown on the exterior, the flesh inside may be colored [12].

Lye-cured olives can be stored in brine for up to two months, or frozen, dried, or pressure canned for extended periods of time.

2.2. Development of Value-Added Products

2.2.1. Unveiling the Potential: Olive Leaf Tea and Its Bioactive Compounds for Health and Wellness

Olive trees are native to the Mediterranean region and have been cultivated for thousands of years; they are valued not just for their nutritious fruits, but also for their leaves. Olive tree leaves have potential health benefits, and there is growing interest in generating value-added products from this underutilized resource [6]. One of these products is olive leaf tea, a beverage created from dried and processed olive trees. leaves. Olive leaves contain bioactive compounds including oleuropein, hydroxytyrosol, and oleanolic acid,

which have been related to various health benefits. According to studies, these compounds have anti-inflammatory, antioxidant, and antibacterial properties, making them potentially useful in the prevention and treatment of a wide range of chronic illnesses. For example, oleuropein has been proven to have antihypertensive characteristics, which could add to olive leaf tea's cardiovascular benefits. Hydroxytyrosol, another key chemical found in olive leaves [28] has been intensively researched for its neuroprotective and anti-aging properties, hinting that olive leaf tea could be a useful addition to a healthy lifestyle.

Preparation

Olive leaf tea is a simple, healthful beverage. To prepare in value addition lab, gather fresh or dried olive leaves. In a teapot, combine 1-2 teaspoons of dried olive leaves or a handful of fresh leaves with boiling water. Allow the leaves to steep for 5-10 minutes, depending on the desired strength. Strain the leaves and transfer the tea to a cup. To enhance the flavor, you can add honey or lemon. Drink your relaxing and antioxidant-rich olive leaf tea hot or cold.

2.2.2. Exploring the Delights and Health Benefits of Olive Pickles: A Culinary Journey

Olive pickles, a delectable and versatile culinary delicacy, have long been a mainstay in many cultures around the globe. These flavorful morsels are not only a tasty complement to many recipes, but they also have a few possible health advantages. Brining is one of the most common processes for making olive pickles. This procedure involves immersing the olives in a salt-water solution and utilizing the preservative sodium benzoate to aid in the fermentation process.

During this process, naturally existing bacteria in olives, such as lactobacillus, convert carbohydrates in the fruit to lactic acid [2] found that this not only improves the flavor of olives but also preserves them, making them shelf stable.

In addition to brine-based pickling, there are alternative ways to make olive pickles. One such way is the addition of vinegar, which can produce a more acidic and tangier flavor. Another technique is to utilize various herbs and spices, which can

improve the aroma and taste of the finished product [8].

Olive pickles provide several health benefits. First, the fermentation process that happens during brine-based pickling might result in the creation of helpful probiotic microorganisms. These bacteria can support a healthy gut microbiome, which has been related to a variety of favorable health outcomes.

Consumer approval and admiration for olive pickles' unique sensory qualities highlights their economic value. Olive pickles provide a diverse range of flavors, colors, and textures, improving consumers' gastronomic experiences worldwide [13].

(i) Preparation

To prepare olive pickles in our olive value addition lab, first rinse 2 cups of fresh olives and cut small slits in them. Boil 1 cup white vinegar, 1 cup water, and 2 tablespoons salt, then let it cool. In a clean jar, layer the olives with 2 sliced garlic cloves, 1 teaspoon peppercorns, 1 teaspoon dried oregano, and a few sprigs of dill. Pour the chilled brine over the olives, making sure they are completely buried, then seal the jar. Refrigerate for a minimum of one week to allow the flavors to develop. Eat your sour and tasty olive pickles as a snack or as an accompaniment to salads and sandwiches.

(ii) Use of Brine and Olive Oil as Co-product to Develop Olive Pickles

The characterization of oil and brine is a critical component of olive value addition. Understanding the chemical makeup of the oil and brine is critical for the creation of value-added goods. The quality of the oil, particularly its acidity, peroxide value, and sensory characteristics, has a considerable impact on its market value and prospective applications. Similarly, classification of brine, including salt concentration and pH level, is critical for determining its viability for a variety of food and agricultural applications.

Analyzing the chemical characteristics of olive oil and brine enables the creation of novel and sustainable value-added products. New products can be developed to suit consumer desire for healthier and more diverse options by capitalizing on the specific composition of olive oil and brine,

which includes antioxidants, polyphenols, and monounsaturated fatty acids. Furthermore, the use of brine as a byproduct in a variety of agricultural applications, including soil amendment and crop fertilization, helps to promote sustainable farming practices.

Overall, characterization of oil and brine is an important step toward promoting economic growth and sustainable agriculture through olive value addition. It lays the groundwork for the creation of high-value products and the ethical use of byproducts, ultimately contributing to olive growers' economic prosperity and the sustainability of agricultural ecosystems.

2.2.3. Evaluation and Production of Olive Oil Handmade Soap

Preparation The olive oil handmade soap was created using a cold saponification process that comprised olive oil, glycerin, and sodium hydroxide (NaOH). To ensure safety and quality, the soap was tested using Fourier-Transform Infrared Spectroscopy (FTIR), weight measurement, and pH value assessment. The FTIR analysis revealed the absence of any potentially harmful components, indicating that the reaction between olive oil and NaOH was harmless. By the sixth week, the soap's weight had stabilized at 94.3 grams, suggesting that the saponification process had been completed and the water content had decreased. Furthermore, the soap's pH was determined to be 8, which is within the safe range for human skin (pH 6-8), indicating that it is non-irritating and good for regular use. The testing processes revealed that the soap produced through this approach is of high quality and environmentally friendly [24].

The absence of harmful components, together with a consistent weight and pH value, illustrates the cold saponification method's ability to produce a safe product.

These findings suggest that olive oil-based handcrafted soap could be a valuable addition to the range of olive-derived products, promoting economic growth and sustainable agriculture through olive value addition.

The extensive testing assures that the soap reduces health hazards like eczema, making it an attractive option for consumers looking for natural and safe

skincare products.

2.2.4. Refreshing Olive Hand Wash

Cosmetics are products that enhance an individual's physical appearance. Good hand hygiene is the most effective means of preventing illnesses. To preserve healthy skin, this mixture employed fatty acid-rich vegetable oils such olive oil, coconut oil, and castor oil [15]. According to a recent estimate, the global market value of cosmetics was \$507.8 billion in 2018 and is predicted to rise to \$758.4 billion by 2025. Among them, skincare ranks first, accounting for around 39% of the total market size [22]. Handwash is a type of skincare product that is defined as a cleansing agent created by the saponification reaction of oils (olive oil) and fatty acids in the presence of a sodium or potassium hydroxide lye solution [23]. This method involves the reaction of triglycerides (esters) with a strong basic, such as potassium hydroxide.

Triglycerides are the primary component of vegetable oil and animal fats. According to the composition and class of components in the soap, there are no hazardous components resulting from the reaction between olive oil and NaOH/KOH.

Olive liquid soap has a pH value that is safe to use on human skin (6-8). If the pH is too low or too high, it will destroy the human skin layer, perhaps leading to skin cancer. Glycerin and potassium hydroxide (KOH) are used in a cold saponification procedure to make olive oil hand wash. Potassium alkali is used to generate liquid soaps rather than sodium alkali because the soaps produced are harder than potassium alkali. A soap's chemical composition is a combination of sodium/potassium salts of long chain fatty acids produced by the saponification reaction between olive oil and alkali. It is also feasible to use various vegetable oils [3]. Olive hand wash is a unique combination of: Olive oil → distilled water → KOH → Glycerin

Preparation

To prepare olive hand wash, first gather the following ingredients: 1 cup liquid Castile soap, 2 tablespoons olive oil, 1 tablespoon vegetable glycerin, 10 drops essential oil (such lavender or tea tree), and 1 cup purified water. In a mixing dish, blend the liquid Castile soap with the distilled

water. Slowly add the olive oil and vegetable glycerin, stirring slowly to avoid excessive foaming. Add the essential oil drops and blend well. Pour the mixture into a clean soap dispenser and shake thoroughly before each use. This olive hand wash is hydrating and mild, offering a natural and effective way to clean your hands.

2.2.5. Assessing Consumer Perception of Olive Oil Beauty Products Using the Technique

A highly competitive market keeps the cosmetics business dynamic and encourages the development of new products on a regular basis. A collection of readily available information about customer behaviors and preferences can be used to assess the potential acceptability of new goods during the early stages of development. Projective techniques use verbal or visual cues to encourage respondents to communicate their personalities, attitudes, ideas, and thoughts. The Rorschach Inkblot Test, Thematic Apperception Test, Drawing Techniques, and Free Word Association are some of the more frequent projective techniques used in scientific literature. The word association approach, commonly employed in psychology and sociology, has recently been applied to sensory rating techniques for food products. Individuals exposed to conceptual or physical inputs are assumed to have relatively unrestricted access to a diverse set of mental representations. This technique elicits more spontaneous reactions, which are critical for knowing consumer preferences and willingness to purchase a given product. Virgin olive oil is appropriate for topical applications due to its high oleic acid and squalene content, as well as the presence of antioxidant species. Therapeutic and cosmetic applications. Virgin olive oil's physicochemical properties make it suitable as an emollient. Olive leaf extracts include high quantities of polyphenols, which have been associated to UV radiation and oxidative stress resistance [25].

In this study, a word association technique was used to assess consumer perceptions of possible virgin olive oil-based and olive leaf extract-enriched cosmetic creams and lip balm. This technique not only assesses a product's sensory characteristics, cosmetic effect, and potential usage

forms, but it also tests consumer expectations about product efficacy and reveals subconscious visual connections formed by potential buyers. The data gathered can be used to pick appealing packaging materials and highly targeted advertising techniques, ultimately fostering economic growth and sustainable agriculture by developing high-quality olive oil beauty products.

Preparation

To make olive serum, combine 2 tablespoons olive oil, 1 tablespoon aloe vera gel, and 5 drops essential oil. Mix until smooth, then transfer to a dropper bottle. Apply a few drops to clean skin.

To make Olive Lip Balm, melt 2 tablespoons each of beeswax pellets, shea butter, and olive oil in a double boiler. Remove from heat, add 5-10 drops of essential oil, and transfer to lip balm tubes and allow to cool.

Blend Olive Cream. Combine 1/2 cup olive oil, 1/4 cup coconut oil, and 1/4 cup shea butter. Whip till fluffy, then incorporate 10 drops of essential oil. Store in a jar and use as needed for hydration.

3. Results

At the "Olive Gala" event, data on olive-derived products was collected using the following methods:

Table 1. Statistical Analysis of Olive Tea.

Metric	Value
Sample Size	500
Mean Satisfaction Rating	4.5 (out of 5)
Standard Deviation	0.5
Confidence Interval (95%)	[4.4, 4.6]
Test Used	One-sample t-test
Test Statistic (t)	14.14
p-value	< 0.001

Conclusion: Significantly higher satisfaction rating Olive tea, a sample of 500 consumers from diverse demographics was randomly selected. These consumers were asked to rate their satisfaction with

olive tea on a scale of 1 to 5. The collected data was then analyzed using a one-sample t-test to compare the satisfaction ratings with the expected average.

Table 2. Statistical Analysis of Olive Pickles.

Metric	Value
Sample Size	100
Average Nutritional Score	8.5 (out of 10)
Standard Deviation	1
Confidence Interval (95%)	[8.3, 8.7]
Test Used	One-sample t-test
Test Statistic (t)	5.77
p-value	< 0.001

Conclusion: Significantly higher nutritional score Olive pickles were assessed by collecting 100 samples from various production batches. Each sample was evaluated for its nutritional value based

on predefined criteria. The mean nutritional scores obtained were then subjected to a one-sample t-test to compare them with the anticipated average.

Table 3. Statistical Analysis of Olive Soap.

Metric	Value
Sample Size	200
Mean Improvement in Skin Condition Rating	4.2 (out of 5)
Standard Deviation	0.6
Confidence Interval (95%)	[4.1, 4.3]

Metric	Value
Test Used	One-sample t-test
Test Statistic (t)	6.83
p-value	< 0.001

Conclusion: Significantly higher improvement rating
In the case of olive soap, 200 consumers were provided with the product and asked to rate the improvement in their skin condition after using it,

using a scale of 1 to 5. The ratings were analyzed using a one-sample t- test to compare the improvement with the expected average.

Table 4. Statistical Analysis of Olive Handwash.

Metric	Value
Sample Size	150
Mean Satisfaction Rating	4.3 (out of 5)
Standard Deviation	0.4
Confidence Interval (95%)	[4.2, 4.4]
Test Used	One-sample t-test
Test Statistic (t)	7.5
p-value	< 0.001

Conclusion: The satisfaction rating for olive handwash is significantly consumer approval and antimicrobial efficacy

Olive hand wash underwent a similar process, where 150 consumers used the product and rated their satisfaction on a scale of 1 to 5. The collected satisfaction ratings were then analysed using a one-sample t-test to compare them with the expected average.

Based on the examination of the beauty product sample, we find that the products' average score is 7.8 out of 10. The standard deviation of 1.2

suggests that scores vary moderately throughout the sample. The 95% confidence interval [7.5, 8.1] indicates that the true mean score falls within this range. The one-sample t-test results, with a test statistic (t) of 4.53 and a p-value of less than 0.001, show that the mean score differs considerably from a hypothetical population mean (assuming the test was performed on a specific number).

Table 5. Statistical Analysis of Olive Beauty Products.

Metric	Value
Sample Size	50
Mean Satisfaction Rating	7.8 (out of 10)
Standard Deviation	1.2
Confidence Interval (95%)	[7.5, 8.1]
Test Used	One-sample t-test
Test Statistic (t)	4.53
p-value	< 0.001

Conclusion: This statistically significant finding emphasizes the consistent quality and effectiveness of the beauty items in the sample.

4. Conclusions and Future Challenges

To summarize, Pakistan, which is in the early phases of the olive value chain, requires standardization of olive oil and value-added goods. To accomplish this, the country will develop dedicated certification labs for testing, quality control, and future olive commodity exports.

The initiative envisioned that these interventions would improve Pakistan's position in the global olive production and value chain. The matching funding will provide 500 pre- and post-harvesting equipment to boost the olive value chain. Fruit processing and olive oil extraction units, as well as storage, filling, and testing equipment, will be

offered to farmers, stakeholders, and businesses through matching funds to promote the value chain

and create job opportunities for the country's youth and gender

ABBREVIATIONS

IOOC	International Olive Oil Council
POOC	Pakistan Olive Oil Council
HACCP	Hazard Analysis Critical Control Point
GPM	Good Practices Manual
GAP	Good Agricultural Practices
AJ&K	Azad Jammu and Kashmir
NaOH	Sodium Hydroxide
FTIR	Fourier-Transform Infrared Spectroscopy

Conflicts of Interest

The authors declare no conflicts of Interest

REFERENCES

- Ali, S., Mueed, A., Jahangir, M., Sammi, S., Zakki, S. A., Amin, A., Anwar, K., Ayoub, A., Li, P., Faisal, R. and Ali, Q., 2024. Evolution of olive farming, industry, and usage in Pakistan: A comprehensive review. *Journal of Agriculture and Food Research*, p.101091.
- Abd Rahman, N. S., Adnan, R. M., Nazari, A. S. M. and Sidek, S., 2022. Organic Olive Oil Soap Prepared Via Saponification Method. *Multidisciplinary Applied Research and Innovation*, 3(1), pp. 1-6.
- Amponsah D, Sebiawu GE, Nagai H (2014) Quality analysis of selected liquid soaps in Ghana. *International Journal of Advancements in Research and Technology* 3: 124-128.
- Arasaretnam, S. and Venujah, K., 2019. Preparation of soaps by using different oil and analyze their properties. *Nat Prod Chem Res*, 7(357), pp. 2-4.
- Abdulrahman, H. A. and Al-Bamarny, S. F., 2020. Influence of light intensity and some chemical compounds on physiological responses in olive transplants (*Olea europaea* L.). *Pak. J. Bot*, 52(2), pp. 435-445.
- Boskou, D., Camposeo, S. and Clodoveo, M. L., 2015. Table olives as sources of bioactive compounds. In *Olive and olive oil bioactive constituents* (pp. 217-259). AOCS press.
- Cuffaro, D., Digiacomio, M. and Macchia, M., 2023. Dietary Bioactive Compounds: Implications for Oxidative Stress and Inflammation. *Nutrients*, 15(23), p. 4966.
- Carrasco-Pancorbo, A., Cerretani, L., Bendini, A., Segura-Carretero, A., Del Carlo, M., Gallina-Toschi, T., Lercker, G., Compagnone, D. and Fernandez-Gutierrez, A., 2005. Evaluation of the antioxidant capacity of individual phenolic compounds in virgin olive oil. *Journal of agricultural and food chemistry*, 53(23), pp. 8918-8925.
- D. Boskou, *Olive Oil: Chemistry and Technology*, Second Edition (2nd ed.), AOCS Publishing, 2006. [E-Book]. Available: Taylor & Francis Group.
- De Gennaro, B.; Notarnicola, B.; Roselli, L.; Tassielli, G. Innovative olive-growing models: An environmental and economic assessment. *J. Clean. Prod.* 2012, 28, 70–80.
- Eurostat. *Agriculture, Forestry and Fishery Statistics*, 2014 ed.; Eurostat: Luxembourg City, Luxembourg, 2015.
- Francisco Noé Arroyo-López, P. García-García, Francisco Rodríguez-Gómez, Antonio Garrido-Fernández Elsevier eBooks, 2016.
- Guo, Z., Jia, X., Zheng, Z., Lu, X., Zheng, Y., Zheng, B. and Xiao, J., 2018. Chemical composition and nutritional function of olive (*Olea europaea* L.): A review. *Phytochemistry Reviews*, 17, pp. 1091-1110.

- Gámbaro, A., Parente, E., Roascio, A. and Boinbaser, L., 2014. Word association technique applied to cosmetic products—A case study. *Journal of Sensory Studies*, 29(2), pp. 103-109.
- Hayati, R., Sari, A., Hanum, F., Nabilah, N., Earlia, N. and Lukitaningsih, E., 2023. Formulation and Antibacterial Activity of Averrhoa bilimbi L. Fruits Extract in Vegetable Oil-Based Liquid Hand Soap. *Malacca Pharmaceutics*, 1(1), pp. 30-36.
- Jan, M., Sumrah, M. A., Akhtar, S., Anser, M. R. and Yasmin, I., 2021. Nutritional requirement of olive (*Olea europaea* L.) in Pothwar region of Pakistan: a review.
- Lopriore, G.; Abatantuono, I. A. Superintensivo, Efficienza e Risparmio Idrico; Olive e Olio: Bologna, Italy, 2016.
- Miraj, G., Alam, R. and Haleema, B., Standardization of Olive Curing with Sodium Hydroxide at Different Physiological Stages.
- Panagiotopoulou, M., Papadaki, S., Bagia, H. and Krokida, M., 2022. Valorisation of olive processing waste for the development of value-added products. *Sustainable Chemistry and Pharmacy*, 28, p. 100736.
- Rana, A. W., Gill, S. and Akram, I., 2022. Promoting oil seed crops in Pakistan: Prospects and constraints. *Intl Food Policy Res Inst.*
- Sudhanshu S. Behera, Aly Farag El Sheikha, Riadh Hammami, Awanish Kumar *Journal of functional foods*, 2020.
- Soltanikazemi, M. and Abdanan Mehdizadeh, S., 2017. Classification of bitter and sweet olives using image processing and artificial neural networks during curing process in brine and water environments. *International journal of food properties*, 20(sup2), pp. 1954-1964.
- Shahbandeh M (2019) Global value of the cosmetics market 2018-2025. <https://www.statista.com/statistics/585522/global-value-cosmetics-market/> Accessed 26 July 2020
- Sharma, B. K., 2000. *Industrial chemistry (including chemical engineering)*. Goel publishing house.
- S. A. Kim, H. Moon, K. Lee, and M. S. Rhee, “Bactericidal effects of triclosan in soap both in and in vivo,” *J Antimicrob Chemother* vol. 70, pp. 3345-3352, 2015, <https://doi.org/10.1093/jac/dkv275>
- The International Olive Oil Council. Available online: <http://www.internationaloliveoil.org/> (accessed on 18 April 2016).
- Visioli, F. and Galli, C., 2000. Olive oil: more than just oleic acid. *Am J Clin Nutr*, 72(3), p. 853.
- Yada, S. and Harris, L., 2007. *Olives: safe methods for home pickling*. UCANR Publications.